


PrintDate: 2024-03-11

Customer	QUOTE EXPIRES
QUOTATION Quote # 198680	Quote Not Certified

LINE #	DESCRIPTION	QUANTITY	U/M	UNIT PRICE	EXTENSION
100-1	- UNIT: Wood, FD 200 - PRODUCT: Single French Door Norwood, Label (A884) - OPERATION: Operates, Left Inswing (Ext. view) Inswing - PROFILE TYPE: Ovalo Interior Profiling - PANEL THICKNESS: 1 3/4" - UNIT Size: 34 7/32" x 63 19/32" - MATERIAL: Pine, Stave Core; Pine - EXTERIOR FINISH: Wrought Iron (Norcoat) - INTERIOR FINISH: Wrought Iron (Norcoat) - FIRST GLASS: Dual Pane Sealed Unit [OA Thick 29/32"] @ Ext Pane [4MM Low E CG70 TP], Int Pane [4MM Clear TP], Black Spacer (9/16"), Putty (2720) Bead, Argon Fill - HRDW: Bore for Dead Bolt, Diameter @ 2 1/8", Backset @ 2 3/8", 5 1/2" From Center to Center - ACTIVE: Standard Bore For Handle (Handle Not included), Diameter @ 2 1/8", Backset @ 2 3/8" - HINGES: Ballbearing Flat Top, Black - SILL: Bronze; Red Oak Crown [Coffee Bean (Stain)] [Total Sill Depth @ 7 15/16"] - RAILS: Stiles @ 4 19/32", Sill Rail @ 7 3/8", Top Rail @ 4 19/32" - SCREEN: None - EXTERIOR TRIM: Casing: 2278 (1 7/8"); , No Sill Horn - INTERIOR TRIM: None - JAMB: 6 9/16" - FOR WARRANTY INFORMATION PLEASE VISIT HTTPS://norwoodwindows.ca/resources/literature/ Norwood warranty product. - PRODUCT KNOWLEDGE: 805 PKversion	1	EA	\$2,395.85	\$2,395.85



*Drawings viewed from exterior.

Room Label: second floor front

Overall Unit 34.218" X 63.609"

Rough Opening 35 7/32" X 64 11/32"


Comment: <none>

Label	U Factor		SHGC	VT	ER	NCW #
A884	0.33	1.87	0.39	0.44	21	NCW-K-6-00541-00001

PrintDate: 2024-03-11

Customer	QUOTE EXPIRES
QUOTATION Quote # 198680	Quote Not Certified

LINE #	DESCRIPTION	QUANTITY	U/M	UNIT PRICE	EXTENSION
200-1	<p>- UNIT: Wood, FD 233 [Custom]</p> <p>- PRODUCT: Single French Door Norwood</p> <p>- OPERATION: Operates, Right Inswing (Ext. view)Inswing</p> <p>- PROFILE TYPE: Ovalo Interior Profiling</p> <p>- PANEL THICKNESS: 1 3/4"</p> <p>- UNIT Size: 34 31/32" x 83 27/32"</p> <p>- MATERIAL: Pine, Stave Core; Pine</p> <p>- EXTERIOR FINISH: Wrought Iron (Norcoat)</p> <p>- INTERIOR FINISH: Wrought Iron (Norcoat)</p> <p>- FIRST PANEL: Wood Panel, , Putty (2720) Bead</p> <p>- SECOND GLASS: Dual Pane Sealed Unit [OA Thick 29/32"] @ Ext Pane [4MM Low E CG70 TP], Int Pane [4MM Clear TP], Black Spacer (9/16"), Putty (2720) Bead, Argon Fill</p> <p>- GRILLE: SDL, 7/8" Putty (598) Ext., 7/8" Ovalo (2640) Int. Bars, , Black Tape</p> <p>- PATTERN: Rectangular, 3 x 2, 6 Rectangle Lites</p> <p>- HRDW: Bore for Dead Bolt, Diameter @ 2 1/8", Backset @ 2 3/8", 5 1/2" From Center to Center</p> <p>- ACTIVE: Standard Bore For Handle (Handle Not included), Diameter @ 2 1/8", Backset @ 2 3/8"</p> <p>- HINGES: Ballbearing Flat Top, Black</p> <p>- SILL: Bronze; Red Oak Crown [Coffee Bean (Stain)] [Total Sill Depth @ 7 15/16"]</p> <p>- RAILS: Stiles @ 4 19/32", Sill Rail @ 7 3/8", Top Rail @ 4 19/32"</p> <p>- HORZ: Rail 1 @ 9.8125 [Custom Specify @ 54 from Bottom Sill to Middle of Rail]</p> <p>- PANEL TYPE: 1 Raised Panel with 5 V Groove (Both Sides) for Row 1</p> <p>- SCREEN: None</p> <p>- EXTERIOR TRIM: Casing: 2278 (1 7/8"); , No Sill Horn</p> <p>- INTERIOR TRIM: None</p> <p>- JAMB: 6 9/16"</p> <p>- CUSTOM COMMENT: C/W REGAL MANTEL SHELF WITH APPROXIMATELY 12 BLOCKS // SAME SHELF AS 180689</p> <p>- FOR WARRANTY INFORMATION PLEASE VISIT HTTPS://norwoodwindows.ca/resources/literature/ Norwood warranty product.</p> <p>- PRODUCT KNOWLEDGE: 805 PKversion</p>	1	EA	\$4,338.94	\$4,338.94




*Drawings viewed from exterior.

Room Label: front 2 guest
entrance

Overall Unit 34.968" X 83.859"

Rough Opening 35 31/32" X 84 19/32"

Comment: <none>



Frame Size:	34.218" X 63.609"
Rough Opening:	35.218" X 64.359"
BrickMould:	37" X 65"

D 100

QTY: 1

ROOM LABEL :

second floor front

JAMB:
6.5625

PRODUCT SERIES:
SNG FD Norwood OVA

COLOR: [EXT/INT]
Wrought Iron

Wrought Iron

CASING:

2278 [1 1/8" X 1 7/8"]

SUBSILL/SILL:

AL: Bronze [Total Depth @ 7.9375"]

GLAZING: [FIRST/SECOND]

Low E CG70 Tempered/Clear Tempered, Arg, Spacer Black

GRILL:

HARDWARE:

ACT @ Hinges c/w Standard Bore For Handle

HANDLE:

HINGE:

Ballbearing Flat Top [Black]

SCREEN:

HEAD / SILL RAILS:

HORZ RAIL:

4 19/32" HR, 7 3/8" SR

STILES:

VERT. RAIL:

4 19/32"

**** ALL ELEVATIONS VIEWED FROM EXTERIOR ****

APPROVAL: REVISE AS ☐ APPROVED AS ☐

PRODUCTION APPROVAL:

PRODUCTION ASSEMBLY WILL PROCEED AFTER THIS SHOP DRAWING HAS BEEN APPROVED AND SIGNED FOR PRODUCTION. NORWOOD IS NOT RESPONSIBLE FOR CHANGES ONCE PRODUCTION HAS PROCEEDED. ORDERS CANCELED AND/OR CHANGED AFTER THE RELEASE FOR ASSEMBLY AND/OR NORWOOD'S COMMITMENT TO PURCHASED INVENTORY WILL BE SUBJECT TO COSTS INCURRED BY NORWOOD. NORWOOD IS NOT RESPONSIBLE FOR CALCULATION AND DESIGN OF SUPPORT MULLIONS OR STRUCTURAL SUPPORT REQUIRED FOR PRODUCT INSTALLATION. DUE TO SHIPPING RESTRICTIONS, MULLED & STACKED UNITS LESS THAN & EQUAL TO 108 INCHES, WIDTH OR HEIGHT, WILL BE SHIPPED AS ONE UNIT. OTHERWISE UNITS WILL BE SHIPPED AS SEPARATE UNITS.

QUOTE:	LIM#:	SCALE:	DEL.
198680	100	NTS	0001-01-01

PROJECT:

40 Spruce street

LOCATION:


Vaughan Ontario

DEALER:

Ridley Windows & Doors Inc.- Vaughan

NORWOOD
NEVER ORDINARY

A DIVISION OF
WESTWOOD INDUSTRIES
249 PARKER ROAD,
SCOU DOUC, NB E4P 3P8
TEL: 506-532-0908
FAX: 506-533-2505



Frame Size:	34.968" X 83.859"
Rough Opening:	35.968" X 84.609"
BrickMould:	37.75" X 85.25"

D 200

QTY: 1

ROOM LABEL :

front 2 guest entrance

JAMB: 6.5625 PRODUCT SERIES: SNG FD Norwood OVA

COLOR: [EXT/INT] Wrought Iron Wrought Iron

CASING: 2278 [1 1/8" X 1 7/8"]

SUBSTILL/SILL: AL: Bronze [Total Depth @ 7.9375"]

GLAZING: [FIRST/SECOND] Low E CG70 Tempered/Clear Tempered, Arg, Spacer Black
GRILL: SDL - Rectangular [0 x 0]
7/8" Putty (598) / 7/8" Ovalo (2640)

HARDWARE: ACT @ Hinges c/w Standard Bore For Handle

HANDLE: HINGE: Ballbearing Flat Top [Black]

SCREEN:

HEAD / SILL RAILS: HORZ RAIL:
4 19/32" HR, 7 3/8" SR HR1 [9 13/16"]
STILES: VERT. RAIL:
4 19/32"

**** ALL ELEVATIONS VIEWED FROM EXTERIOR ****

APPROVAL: REVISE AS ☐ APPROVED AS ☐
PRODUCTION APPROVAL:
PRODUCTION ASSEMBLY WILL PROCEED AFTER THIS SHOP DRAWING HAS BEEN APPROVED AND SIGNED FOR PRODUCTION. NORWOOD IS NOT RESPONSIBLE FOR CHANGES ONCE PRODUCTION HAS PROCEEDED. ORDERS CANCELED AND/OR CHANGED AFTER THE RELEASE FOR ASSEMBLY AND/OR NORWOOD'S COMMITMENT TO PURCHASED INVENTORY WILL BE SUBJECT TO COSTS INCURRED BY NORWOOD. NORWOOD IS NOT RESPONSIBLE FOR CALCULATION AND DESIGN OF SUPPORT MULLIONS OR STRUCTURAL SUPPORT REQUIRED FOR PRODUCT INSTALLATION. DUE TO SHIPPING RESTRICTIONS, MULLED & STACKED UNITS LESS THAN & EQUAL TO 108 INCHES, WIDTH OR HEIGHT, WILL BE SHIPPED AS ONE UNIT. OTHERWISE, UNITS WILL BE SHIPPED AS SEPARATE UNITS.

QUOTE: 198680	LIM#: 100	SCALE: NTS	DEL. 0001-01-01
---------------	-----------	------------	-----------------


PROJECT: 40 Spruce street

LOCATION: Vaughan Ontario

DEALER: Ridley Windows & Doors Inc.- Vaughan

NORWOOD
NEVER ORDINARY

A DIVISION OF
WESTWOOD INDUSTRIES
249 PARKER ROAD,
SCOU DOUC, NB E4P 3P8
TEL: 506-532-0908
FAX: 506-533-2505



Frame Size:	31.968" X 85.859"
Rough Opening:	32.968" X 86.609"
BrickMould:	34.75" X 87.25"

D 300

QTY: 1

ROOM LABEL :

front 1 dinner guest

JAMB: 6.5625 PRODUCT SERIES: SNG FD Norwood OVA

COLOR: [EXT/INT] Wrought Iron Wrought Iron

CASING: 2278 [1 1/8" X 1 7/8"]

SUBSILL/SILL: AL: Bronze [Total Depth @ 7.9375"]

GLAZING: [FIRST/SECOND]

Low E CG70 Tempered/Clear Tempered, Arg, Spacer Black

GRILL: SDL - Rectangular [0 x 0] 7/8" Putty (598) / 7/8" Ovalo (2640)

HARDWARE: ACT @ Hinges c/w Standard Bore For Handle

HANDLE: HINGE: Ballbearing Flat Top [Black]

SCREEN:

HEAD / SILL RAILS: 4 19/32" HR, 7 3/8" SR HORZ RAIL: HR1 [9 13/16"]

STILES: 4 19/32" VERT. RAIL:

**** ALL ELEVATIONS VIEWED FROM EXTERIOR ****

APPROVAL: REVISE AS ☐ APPROVED AS ☐

PRODUCTION APPROVAL:

PRODUCTION ASSEMBLY WILL PROCEED AFTER THIS SHOP DRAWING HAS BEEN APPROVED AND SIGNED FOR PRODUCTION. NORWOOD IS NOT RESPONSIBLE FOR CHANGES ONCE PRODUCTION HAS PROCEEDED. ORDERS CANCELED AND/OR CHANGED AFTER THE RELEASE FOR ASSEMBLY AND/OR NORWOOD'S COMMITMENT TO PURCHASED INVENTORY WILL BE SUBJECT TO COSTS INCURRED BY NORWOOD. NORWOOD IS NOT RESPONSIBLE FOR CALCULATION AND DESIGN OF SUPPORT MULLIONS OR STRUCTURAL SUPPORT REQUIRED FOR PRODUCT INSTALLATION. DUE TO SHIPPING RESTRICTIONS, MULLED & STACKED UNITS LESS THAN & EQUAL TO 108 INCHES, WIDTH OR HEIGHT, WILL BE SHIPPED AS ONE UNIT. OTHERWISE, UNITS WILL BE SHIPPED AS SEPARATE UNITS.

QUOTE: 198680 LIM#: 100 SCALE: NTS DEL: 0001-01-01

PROJECT: 40 Spruce street

LOCATION: Vaughan Ontario

DEALER: Ridley Windows & Doors Inc.- Vaughan .

NORWOOD
NEVER ORDINARY

A DIVISION OF
WESTWOOD INDUSTRIES
249 PARKER ROAD,
SCUDOU, NB E4P 3P8
TEL: 506-532-0908
FAX: 506-533-2505